

TECHNICAL BULLETIN

AVOX™ ARP-40

POLYESTER HOT MELT

PERFORMANCE FEATURES

- Made from recycled content
- Low temperature application

MARKET USES

- Textile Back Coatings
- Asphalt Replacement Coating
- Tie Coat

Product Description

Avox™ ARP-40 is a 100% polyester copolymer hot melt made primarily from recycled polyester terephthalate.

Handling & Storage/Stability

Avox™ ARP-40 needs to be kept in dry locations. There are no special storage requirement for *Avox™ ARP-40*.


Typical Properties

Appearance	Bluish-green solid
Melting point	135°C (275°F)

Product Safety

When considering the use of **Ulterion International** products, please refer to the latest Material Safety Data Sheets (MSDS). If a MSDS for this product is required, please contact your **Ulterion International** Representative.

AVOX™ ARP-40 Viscosity Profile



Ulterion International, LLC.
200 Tanner Drive
Taylors, SC 29687
Phone: (864) 609-0910
Fax: (864) 331-4264
www.ulterion.com



Taking Solutions Farther™

The information contained herein is thought to be accurate in all aspects; however, the applications for these products mentioned are presented without guarantee or responsibility as to the suitability of our products whether used singly or in combination with other products. Nothing herein is to be taken as a license to operate under or as a recommendation to infringe any patents. The products are sold without warranty, expressed or implied, and are purchased at buyer's risk.